Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	162	250/370.1.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L2	2	"20050173733"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L3	221	250/370.07.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L4	141386	"250"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L5	853	250/370.01.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L6	289	250/370.14.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L7	16	(US-20020139970-\$ or US-20040149919-\$ or US-20020079456-\$).did. or (US-4729005-\$ or US-4885620-\$ or US-7105827-\$ or US-6794654-\$ or US-6455858-\$ or US-4688067-\$ or US-6521894-\$ or US-6333504-\$ or US-6169287-\$ or US-6100532-\$ or US-6046454-\$ or US-6037595-\$ or US-6028313-\$ or US-5677539-\$).did.	US-PGPUB; USPAT	OR	ON .	2007/02/19 16:45
L8	0	L7 and conduct\$4 adj crossover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L9	24	(US-20020139970-\$ or US-20040149919-\$ or US-20020079456-\$ or US-20020132401-\$ or US-20050173733-\$).did. or (US-4729005-\$ or US-4885620-\$ or US-7105827-\$ or US-6794654-\$ or US-6455858-\$ or US-4688067-\$ or US-6521894-\$ or US-6333504-\$ or US-6169287-\$ or US-6100532-\$ or US-6046454-\$ or US-6037595-\$ or US-6028313-\$ or US-5677539-\$ or US-6479378-\$ or US-5648661-\$ or US-4283485-\$ or US-4261096-\$ or US-4219925-\$ or US-3866311-\$).did.	US-PGPUB; USPAT	OR	ON	2007/02/19 16:45
L10	20	L9 and insulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L11	1401	L1 L6 L3 L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45

L12	0	L11 and conduct\$4 adj crossover	US-PGPUB;	OR	ON	2007/02/19 16:45
LIZ		EII and Conduction and Crossover	USPAT; USOCR; EPO; JPO; DERWENT	OK .	ON	2007/02/19 10.43
L13	375370	"257"/\$7.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L14	141386	"250"/\$7.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L15	196695	"438"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L16	375370	"257"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L17	584352	L14 L16 L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L18	0	L17 and (cross-over or crossover) near3 (conductor or electrode) same sheild\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L19	190	L17 and (cross-over or crossover) near (conductor or electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L20	713	polysilicon adj silicon same (insulat\$4 or crossover) and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L21 _	1	99/26524	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L22	196695	."438"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L23	2	"20050173733"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45

			_			
L24	2	L23 and intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L25	10	L9 and oxide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L26	19	L9 and (insulat\$4 or oxide) same (electrode or conduct\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L27	4	("20020139970" "4729005").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2007/02/19 16:45
L28	24	(US-20020139970-\$ or US-20020079456-\$ or US-20040149919-\$ or US-20020132401-\$ or US-20050173733-\$).did. or (US-4885620-\$ or US-6455858-\$ or US-6794654-\$ or US-6521894-\$ or US-4688067-\$ or US-7105827-\$ or US-6169287-\$ or US-6333504-\$ or US-6037595-\$ or US-6100532-\$ or US-6046454-\$ or US-5677539-\$ or US-6028313-\$ or US-5648661-\$ or US-4729005-\$ or US-4261096-\$ or US-4219925-\$ or US-3866311-\$ or US-6479378-\$ or US-4283485-\$).did.	US-PGPUB; USPAT	OR	ON	2007/02/19 16:45
L29	13	L28 and shield\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L30	584352	L4 L13 L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L31	2939	semiconductor adj2 (sens\$4 or detect\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L32	169	L31 and semiconduct\$4 near2 (electrode cathode anode).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L33	22388	semiconductor with (sens\$4 or detect\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L34	5005	L33 and (electrode cathode anode).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45

L35	70	L34 and (crossover cross-over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L36	14	L34 and (crossover cross-over).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR ·	ON	2007/02/19 16:45
L37	117	L4 and drift adj detector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L38	0	L37 and intermediate adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L39	830	L34 and semiconduct\$4 near (electrode or cathode or anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L40	462	L34 and semiconduct\$4 near (electrode or cathode or anode). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L41	32	L40 and drift	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L42	5	L40 and intermediate near (electrode or cathode or anode). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L43	0	L42 and cross-over	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L44	1	L42 and crossover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L45	23	(US-20020139970-\$ or US-20040149919-\$ or US-20020079456-\$ or US-20020132401-\$).did. or (US-4729005-\$ or US-4885620-\$ or US-7105827-\$ or US-6794654-\$ or US-6455858-\$ or US-4688067-\$ or US-6521894-\$ or US-6333504-\$ or US-6169287-\$ or US-6100532-\$ or US-6046454-\$ or US-6037595-\$ or US-6028313-\$ or US-5677539-\$ or US-6479378-\$ or US-5648661-\$ or US-4283485-\$ or US-4261096-\$ or US-4219925-\$ or US-3866311-\$).did.	US-PGPUB; USPAT	OR	ON	2007/02/19 16:45

	_	Life and the model of the second	LIC DOD':	00		2007/02/10 15 15
L46	. 0	L45 and intermediate adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L47	7	L5 and intermediate adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L48	459	L4 and shield\$4 adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L49	3	L9 and guard\$4 adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L50	6	L9 and shield\$4 adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L51	1	L9 and intermediate adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L52	0	L21 and (oxide or insulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L53		L28 and sheild\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L54	279	conductor adj crossover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L55	58	conductor adj crossover and shield\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L56	423	L17 and (cross-over or crossover) near3 (conductor or electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L57	1	polysilicon adj silicon same (insulat\$4 or crossover) and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45

L58	868	polysilicon adj silicon same (insulat\$4 or crossover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L59		L9 and ris	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L60	1	L21 and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L61	1	polysilicon adj silicon adj2 crossover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L62	50929	polysilicon same electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L63	2	L4 and conductor adj crossover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L64	13	L30 and conductor adj crossover same electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L65	56	L30 and conductor adj crossover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L66	16355	polysilicon near2 electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L67	6027	polysilicon near electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L68	0	polysilicon adj silicon adj2 conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L69	0	polysilicon adj silicon adj2 cross-over	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45

L70	0	L28 and gallium near3 electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L71	0	polysilicon adj silicon adj2 trace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON .	2007/02/19 16:45
L72	2	"4885620".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L73	1	"10509320"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L74	2	L72 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L75	7	("20020079456" "20020139970" "4688067" "4885620" "6455858" "6521894" "6794654").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/19 16:45
L76	2	L37 and guard\$4 adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L77	24	"509320"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L78	18	L45 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L79	28	L30 and conductor adj crossover and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L80	7	L11 and intermediate adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L81 .	7	L37 and shield\$4 adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45

L82	7	L50 L49 L51	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2007/02/19 16:45
L83	8	L9 and "404"	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR .	ON	2007/02/19 16:45
L84	12	conductor adj crossover same shield\$4	DERWENT US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L85	14	L17 and (cross-over or crossover) near3 (conductor or electrode) same shield\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L86	16	L28 and drift	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L87	59	polysilicon adj silicon same (insulat\$4 and conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L88	20	L28 and (insulat\$4 or ox or oxide or sio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L89	24	polysilicon adj silicon adj insulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L90	8	L28 and crossover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L91	117	L14 and drift adj detector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L92	3	L91 and silicon near4 electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L93	5.	L28 and silicon near2 substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45

L94	11	L28 and (insulat\$4 or ox or oxide or sio) and shield\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L95	4	L91 and polysilicon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L96	3	polysilicon adj silicon same (cross-over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L97	3	polysilicon adj silicon same (crossover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L98	2	L91 and silicon near2 electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L99	3	L28 and gallium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L100	13	L28 and spectroscopy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L101	4	L28 and polysilicon and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L102	4	L91 and polysilicon and silicon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L103	15	L28 and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L104	333	L31 and semiconduct\$4 near2 (electrode cathode anode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L105	1	L31 and conductor adj crossover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45

Page 9

L106	4.	L32 and (crossover cross-over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45
L107	. 1	L32 and (crossover cross-over) and multilayer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/02/19 16:45

2/19/07 4:54:32 PM C:\Documents and Settings\AGagliardi\My Documents\EAST\workspaces\10509320.wsp Page 10